

2008

**HIGHER SCHOOL CERTIFICATE
EXAMINATION**

General Mathematics

General Instructions

- Reading time – 5 minutes
- Working time – $2\frac{1}{2}$ hours
- Write using black or blue pen
- Calculators may be used
- A formulae sheet is provided at the back of this paper

Total marks – 100

Section I Pages 2–11

22 marks

- Attempt Questions 1–22
- Allow about 30 minutes for this section

Section II Pages 12–21

78 marks

- Attempt Questions 23–28
- Allow about 2 hours for this section

Section I

22 marks

Attempt Questions 1–22


Allow about 30 minutes for this section

Use the multiple-choice answer sheet for Questions 1–22.

1 Which expression is equivalent to $12k^3 \div 4k$?

- (A) $3k^2$
- (B) $3k^3$
- (C) $8k^2$
- (D) $8k^3$

2 What is the surface area of the open box?



NOT TO
SCALE





- (A) 10 cm^2
- (B) 30 cm^2
- (C) 52 cm^2
- (D) 62 cm^2

- 3 The stem-and-leaf plot represents the daily sales of soft drink from a vending machine.


If the range of sales is 43, what is the value of $\textcircled{N}$?

2	N	5	5	
3	4	7	7	9
4	0	5	8	
5	2			
6	0	7		

- (A) 4
(B) 5
(C) 24
(D) 25
- 4 Which graph best represents $y = 3^x$?



- 5 What is the size of the smallest angle in this triangle?



NOT
TO
SCALE

- (A) 29°
(B) 47°
(C) 58°
(D) 76°

6

<i>Taxable income</i>	<i>Tax payable</i>
\$0 – \$12 000	Nil
\$12 001 – \$30 000	Nil plus 30 cents for each \$1 over \$12 000
\$30 001 – \$45 000	\$5400 plus 40 cents for each \$1 over \$30 000
\$45 001 – \$60 000	\$11 400 plus 50 cents for each \$1 over \$45 000
over \$60 000	\$18 900 plus 55 cents for each \$1 over \$60 000

Using the tax table, what is the tax payable on \$43 561?

- (A) \$5424.40
(B) \$10 824.40
(C) \$16 224.40
(D) \$17 424.40

- 7 Luke's normal rate of pay is \$15 per hour. Last week he was paid for 12 hours, at time-and-a-half.

How many hours would Luke need to work this week, at double time, to earn the same amount?

- (A) 4
- (B) 6
- (C) 8
- (D) 9

- 8 What is the median of the following set of scores?


<i>Score</i>	<i>Frequency</i>
12	13
14	6
16	2
18	12
Total	33

- (A) 12
- (B) 13
- (C) 14
- (D) 15

- 9 What is the value of $\sqrt{\frac{x+2y}{8y}}$ if $x = 5.6$ and $y = 3.1$, correct to 2 decimal places?

- (A) 0.69
- (B) 2.62
- (C) 2.83
- (D) 4.77


- 10 The marks for a Science test and a Mathematics test are presented in box-and-whisker plots.



Which measure must be the same for both tests?


- (A) Mean
 - (B) Range
 - (C) Median
 - (D) Interquartile range
- 11 The diagram shows the floor of a shower. The drain in the floor is a circle with a diameter of 10 cm.

What is the area of the shower floor, excluding the drain?



- (A) 9686 cm^2
- (B) 9921 cm^2
- (C) 9969 cm^2
- (D) $10\,000 \text{ cm}^2$


- 12 A scatterplot is shown.



- Which of the following best describes the correlation between R and T ?
- (A) Positive
 - (B) Negative
 - (C) Positively skewed
 - (D) Negatively skewed
- 13 The height of each student in a class was measured and it was found that the mean height was 160 cm.
- Two students were absent. When their heights were included in the data for the class, the mean height did not change.
- Which of the following heights are possible for the two absent students?
- (A) 155 cm and 162 cm
 - (B) 152 cm and 167 cm
 - (C) 149 cm and 171 cm
 - (D) 143 cm and 178 cm

- 14 Danni is flying a kite that is attached to a string of length 80 metres. The string makes an angle of 55° with the horizontal.

How high, to the nearest metre, is the kite above Danni's hand?



- (A) 46 m
(B) 66 m
(C) 98 m
(D) 114 m
- 15 Ali is buying a speedboat at Betty's Boats.

Betty's Boats

Cash price
\$16 000

OR

Terms
15% deposit plus
\$320 per month for
5 years


What is the amount of interest Ali will have to pay if he chooses to buy the boat on terms?

- (A) \$3200
(B) \$5600
(C) \$19 200
(D) \$21 600

- 16 A bag contains some marbles. The probability of selecting a blue marble at random from this bag is $\frac{3}{8}$.

Which of the following could describe the marbles that are in the bag?

- (A) 3 blue, 8 red
(B) 6 blue, 11 red
(C) 3 blue, 4 red, 4 green
(D) 6 blue, 5 red, 5 green
- 17 The diagram shows the position of Q , R and T relative to P .



In the diagram,

Q is SW of P

R is NW of P

$\angle QPT$ is 165°

What is the bearing of T from P ?

- (A) 060°
(B) 075°
(C) 105°
(D) 120°
- 18 New car registration plates contain two letters followed by two numerals followed by two more letters eg AC 12 DC. Letters and numerals may be repeated.

Which of the following expressions gives the correct number of car registration plates that begin with the letter M?

- (A) $26^3 \times 10^2$
(B) $25^3 \times 10^2$
(C) $26^4 \times 10^2$
(D) $25^4 \times 10^2$


- 19** The height of a particular termite mound is directly proportional to the square root of the number of termites.

The height of this mound is 35 cm when the number of termites is 2000.

What is the height of this mound, in centimetres, when there are 10 000 termites?

- (A) 16
(B) 78
(C) 175
(D) 875
- 20** A point P lies between a tree, 2 metres high, and a tower, 8 metres high. P is 3 metres away from the base of the tree.

From P , the angles of elevation to the top of the tree and to the top of the tower are equal.



What is the distance, x , from P to the top of the tower?

- (A) 9 m
(B) 9.61 m
(C) 12.04 m
(D) 14.42 m

- 21** A sphere and a closed cylinder have the same radius.

The height of the cylinder is four times the radius.

What is the ratio of the volume of the cylinder to the volume of the sphere?

- (A) 2 : 1
- (B) 3 : 1
- (C) 4 : 1
- (D) 8 : 1

- 22** A die has faces numbered 1 to 6. The die is biased so that the number 6 will appear more often than each of the other numbers. The numbers 1 to 5 are equally likely to occur.

The die was rolled 1200 times and it was noted that the 6 appeared 450 times.

Which statement is correct?

- (A) The probability of rolling the number 5 is expected to be $\frac{1}{7}$.
- (B) The number 6 is expected to appear 2 times as often as any other number.
- (C) The number 6 is expected to appear 3 times as often as any other number.
- (D) The probability of rolling an even number is expected to be equal to the probability of rolling an odd number.

Section II

78 marks

Attempt Questions 23–28

Allow about 2 hours for this section

Answer each question in the appropriate writing booklet. Extra writing booklets are available.


All necessary working should be shown in every question.

Marks

Question 23 (13 marks) Use the Question 23 Writing Booklet.

- (a) You are organising an outside sporting event at Mathsville and have to decide which month has the best weather for your event. The average temperature must be between 20°C and 30°C , and average rainfall must be less than 80 mm.

The radar chart for Mathsville shows the average temperature for each month, and the table gives the average rainfall for each month.



Average rainfall (mm)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
(mm)	150	162	86	95	104	140	59	81	60	72	70	90

- (i) If you consider only the temperature data, there are a number of possible months for holding the event. Name ONE of these months. 1
- (ii) If both rainfall and temperature data are considered, which month is the best month for the sporting event? 1

Question 23 continues on page 13

Question 23 (continued)

- (b) The capacity of a bottle is measured as 1.25 litres correct to the nearest 10 millilitres. 1

What is the percentage error for this measurement?

- (c) An alcoholic drink has 5.5% alcohol by volume. The label on a 375 mL bottle says it contains 1.6 standard drinks.
- (i) How many millilitres of alcohol are in a 375 mL bottle? 1
- (ii) It is recommended that a fully-licensed male driver should have a maximum of one standard drink every hour. 2

Express this as a rate in millilitres per minute, correct to one decimal place.

- (d) Solve $\frac{5x + 1}{2} = 4x - 7$. 3

- (e) In a survey, 450 people were asked about their favourite takeaway food. The results are displayed in the bar graph. 2

Takeaway food

Pizza	Hamburgers	Fish and chips
-------	------------	----------------

How many people chose pizza as their favourite takeaway food?

- (f) Christina has completed three Mathematics tests. Her mean mark is 72%. 2

What mark (out of 100) does she have to get in her next test to increase her mean mark to 73%?

End of Question 23

Question 24 (13 marks) Use the Question 24 Writing Booklet.

- (a) Bob is employed as a salesman. He is offered two methods of calculating his income.

Method 1: Commission only of 13% on all sales
Method 2: \$350 per week plus a commission of 4.5% on all sales

Bob's research determines that the average sales total per employee per month is \$15 670.

- | | | |
|------|---|----------|
| (i) | Based on his research, how much could Bob expect to earn in a year if he were to choose Method 1? | 2 |
| (ii) | If Bob were to choose a method of payment based on the average sales figures, state which method he should choose in order to earn the greater income. Justify your answer with appropriate calculations. | 3 |
- (b) Three-digit numbers are formed from five cards labelled 1, 2, 3, 4 and 5.
- | | | |
|-------|--|----------|
| (i) | How many different three-digit numbers can be formed? | 1 |
| (ii) | If one of these numbers is selected at random, what is the probability that it is odd? | 1 |
| (iii) | How many of these three-digit numbers are even? | 1 |
| (iv) | What is the probability of randomly selecting a three-digit number less than 500 with its digits arranged in descending order? | 2 |
- (c) Heidi's funds in a superannuation scheme have a future value of \$740 000 in 20 years time. The interest rate is 4% per annum and earnings are calculated six-monthly.

What single amount could be invested now to produce the same result over the same period of time at the same interest rate?


Question 25 (13 marks) Use the Question 25 Writing Booklet.

- (a) The number of penguins, P , after t years in a new colony can be found using the following formula.

$$P = a \times 2^t$$

- (i) If there are 24 penguins after two years, find the value of a . **2**
- (ii) How many years will it take for the number of penguins to first exceed 1500? **2**
- (b) In a drawer there are 30 ribbons. Twelve are blue and eighteen are red. Two ribbons are selected at random.

- (i) Copy and complete the probability tree diagram. **1**




- (ii) What is the probability of selecting a pair of ribbons which are the same colour? **2**


Question 25 continues on page 16

Question 25 (continued)

- (c) Pieces of cheese are cut from cylindrical blocks with dimensions as shown.




Twelve pieces are packed in a rectangular box. There are three rows with four pieces of cheese in each row. The curved surface is face down with the pieces touching as shown.



- (i) What are the dimensions of the rectangular box?

4

To save packing space, the curved section is removed.



- (ii) What is the volume of the remaining triangular prism of cheese?
Answer to the nearest cubic centimetre.

2

End of Question 25

Question 26 (13 marks) Use the Question 26 Writing Booklet.

- (a) Cecil invited 175 movie critics to preview his new movie. After seeing the movie, he conducted a survey. Cecil has almost completed the two-way table.

	<i>Aged <40</i>	<i>Aged ≥40</i>	<i>Totals</i>
Movie critics who liked the movie	65		102
Movie critics who did not like the movie		31	
<i>Totals</i>		(A)	175

- (i) Determine the value of (A). 1
- (ii) A movie critic is selected at random. 2
- What is the probability that the critic was less than 40 years old and did not like the movie?
- (iii) Cecil believes that his movie will be a box office success if 65% of the critics who were surveyed liked the movie. 1
- Will this movie be considered a box office success? Justify your answer.

- (b) The retirement ages of two million people are displayed in a table.

<i>Retirement age</i>	<i>Number of people (thousands)</i>
36–40	5
41–45	10
46–50	20
51–55	35
56–60	180
61–65	700
66–70	500
71–75	400
76–80	150

- (i) What is the relative frequency of the 51–55 year retirement age? 1
- (ii) Describe the distribution. 1

Question 26 continues on page 18


Question 26 (continued)

- (c) Joel is designing a game with four possible outcomes. He has decided on three of these outcomes. 2

	<i>Chance of occurring</i>	<i>Result</i>
Outcome 1	10%	Win \$12
Outcome 2	40%	Win \$6
Outcome 3	30%	Win \$3
Outcome 4		

What must be the value of the loss in Outcome 4 in order for the financial expectation of this game to be \$0?

- (d) The graph shows the predicted population age distribution in Australia in 2008.



- (i) How many females are in the 0–4 age group? 1
- (ii) What is the modal age group? 1
- (iii) How many people are in the 15–19 age group? 2
- (iv) Give ONE reason why there are more people in the 80+ age group than in the 75–79 age group. 1

End of Question 26

Question 27 (13 marks) Use the Question 27 Writing Booklet.

- (a) An aircraft travels at an average speed of 913 km/h. It departs from a town in Kenya (0° , 38°E) on Tuesday at 10 pm and flies east to a town in Borneo (0° , 113°E).
- (i) What is the distance, to the nearest kilometre, between the two towns? (Assume the radius of Earth is 6400 km.) **2**
 - (ii) How long will the flight take? (Answer to the nearest hour.) **1**
 - (iii) What will be the local time in Borneo when the aircraft arrives? (Ignore time zones.) **2**
- (b) Julie takes out a \$290 000 home loan. The terms of the loan are 8.25% per annum over 30 years with monthly repayments.
- (i) Show that the minimum monthly repayment is \$2178.67, to the nearest cent. **2**
 - (ii) Determine the total amount paid for the loan over 30 years. **1**
 - (iii) Each month, Julie decides to pay \$250 more than the minimum monthly repayment. **3**
- Would she be able to pay off the loan in 20 years? Justify your answer by showing all calculations.
- (c) A plasma TV depreciated in value by 15% per annum. Two years after it was purchased it had depreciated to a value of \$2023, using the declining balance method. **2**

What was the purchase price of the plasma TV?

Question 28 (13 marks) Use the Question 28 Writing Booklet.

- (a) The following graph indicates z -scores of ‘height-for-age’ for girls aged 5–19 years.



- (i) What is the z -score for a six year old girl of height 120 cm? 1
- (ii) Rachel is – years of age.
- (1) If 2.5% of girls of the same age are taller than Rachel, how tall is she? 1
- (2) Rachel does not grow any taller. At age – , what percentage of girls of the same age will be taller than Rachel? 2
- (iii) What is the average height of an 18 year old girl? 1

Question 28 continues on page 21

Question 28 (continued)

- (iv) For adults (18 years and older), the Body Mass Index is given by **2**

$$B = \frac{m}{h^2} \text{ where } m = \text{mass in kilograms and } h = \text{height in metres.}$$

The medically accepted healthy range for B is $21 \leq B \leq 25$.

What is the minimum weight for an 18 year old girl of average height to be considered healthy?

- (v) The average height, C , in centimetres, of a girl between the ages of 6 years and 11 years can be represented by a line with equation

$$C = 6A + 79$$


where A is the age in years.

- (1) For this line, the gradient is 6. **1**

What does this indicate about the heights of girls aged 6 to 11?

- (2) Give ONE reason why this equation is not suitable for predicting heights of girls older than 12. **1**

- (b) A tunnel is excavated with a cross-section as shown.



- (i) Find an expression for the area of the cross-section using TWO applications of Simpson's rule. **2**

- (ii) The area of the cross-section must be 600 m^2 . The tunnel is 80 m wide. **2**

If the value of a increases by 2 m, by how much will b change?

End of paper

BLANK PAGE

BLANK PAGE

BLANK PAGE

General Mathematics

FORMULAE SHEET

Area of an annulus

$$A = \pi(R^2 - r^2)$$

R = radius of outer circle

r = radius of inner circle

Area of an ellipse

$$A = \pi ab$$

a = length of semi-major axis

b = length of semi-minor axis

Area of a sector

$$A = \frac{\theta}{360} \pi r^2$$

θ = number of degrees in central angle

Arc length of a circle

$$l = \frac{\theta}{360} 2\pi r$$

θ = number of degrees in central angle

Simpson's rule for area approximation

$$A \approx \frac{h}{3} (d_f + 4d_m + d_l)$$

h = distance between successive measurements

d_f = first measurement

d_m = middle measurement

d_l = last measurement

Surface area

Sphere $A = 4\pi r^2$

Closed cylinder $A = 2\pi rh + 2\pi r^2$

r = radius

h = perpendicular height

Volume

Cone $V = \frac{1}{3} \pi r^2 h$

Cylinder $V = \pi r^2 h$

Pyramid $V = \frac{1}{3} Ah$

Sphere $V = \frac{4}{3} \pi r^3$

r = radius

h = perpendicular height

A = area of base

Sine rule

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Area of a triangle

$$A = \frac{1}{2} ab \sin C$$

Cosine rule

$$c^2 = a^2 + b^2 - 2ab \cos C$$

or

$$\cos C = \frac{a^2 + b^2 - c^2}{2ab}$$

FORMULAE SHEET

Simple interest

$$I = Prn$$

P = initial quantity

r = percentage interest rate per period,
expressed as a decimal

n = number of periods

Compound interest

$$A = P(1 + r)^n$$

A = final balance

P = initial quantity

n = number of compounding periods

r = percentage interest rate per compounding
period, expressed as a decimal

Future value (A) of an annuity

$$A = M \left\{ \frac{(1 + r)^n - 1}{r} \right\}$$

M = contribution per period,
paid at the end of the period

Present value (N) of an annuity

$$N = M \left\{ \frac{(1 + r)^n - 1}{r(1 + r)^n} \right\}$$

or

$$N = \frac{A}{(1 + r)^n}$$

Straight-line formula for depreciation

$$S = V_0 - Dn$$

S = salvage value of asset after n periods

V_0 = purchase price of the asset

D = amount of depreciation apportioned
per period

n = number of periods

Declining balance formula for depreciation

$$S = V_0(1 - r)^n$$

S = salvage value of asset after n periods

r = percentage interest rate per period,
expressed as a decimal

Mean of a sample

$$\bar{x} = \frac{\sum x}{n}$$

$$\bar{x} = \frac{\sum fx}{\sum f}$$

$\bar{x}$ = mean

x = individual score

n = number of scores

f = frequency

Formula for a z -score

$$z = \frac{x - \bar{x}}{s}$$

s = standard deviation

Gradient of a straight line

$$m = \frac{\text{vertical change in position}}{\text{horizontal change in position}}$$

Gradient-intercept form of a straight line

$$y = mx + b$$

m = gradient

b = y -intercept

Probability of an event

The probability of an event where outcomes
are equally likely is given by:

$$P(\text{event}) = \frac{\text{number of favourable outcomes}}{\text{total number of outcomes}}$$

**2008 HSC Notes from
the Marking Centre
General Mathematics**

© 2009 Copyright Board of Studies NSW for and on behalf of the Crown in right of the State of New South Wales.

This document contains Material prepared by the Board of Studies NSW for and on behalf of the State of New South Wales. The Material is protected by Crown copyright.

All rights reserved. No part of the Material may be reproduced in Australia or in any other country by any process, electronic or otherwise, in any material form or transmitted to any other person or stored electronically in any form without the prior written permission of the Board of Studies NSW, except as permitted by the *Copyright Act 1968*. School students in NSW and teachers in schools in NSW may copy reasonable portions of the Material for the purposes of bona fide research or study.

When you access the Material you agree:

- to use the Material for information purposes only
- to reproduce a single copy for personal bona fide study use only and not to reproduce any major extract or the entire Material without the prior permission of the Board of Studies NSW
- to acknowledge that the Material is provided by the Board of Studies NSW
- not to make any charge for providing the Material or any part of the Material to another person or in any way make commercial use of the Material without the prior written consent of the Board of Studies NSW and payment of the appropriate copyright fee
- to include this copyright notice in any copy made
- not to modify the Material or any part of the Material without the express prior written permission of the Board of Studies NSW.

The Material may contain third-party copyright materials such as photos, diagrams, quotations, cartoons and artworks. These materials are protected by Australian and international copyright laws and may not be reproduced or transmitted in any format without the copyright owner's specific permission. Unauthorised reproduction, transmission or commercial use of such copyright materials may result in prosecution.

The Board of Studies has made all reasonable attempts to locate owners of third-party copyright material and invites anyone from whom permission has not been sought to contact the Copyright Officer, ph (02) 9367 8289, fax (02) 9279 1482.

Published by Board of Studies NSW
GPO Box 5300
Sydney 2001
Australia

Tel: (02) 9367 8111
Fax: (02) 9367 8484
Internet: www.boardofstudies.nsw.edu.au

Contents

Section I.....5

Section II5

 Question 235

 Question 246

 Question 257

 Question 268

 Question 279

 Question 2810

2008 HSC NOTES FROM THE MARKING CENTRE

GENERAL MATHEMATICS

Introduction

This document has been produced for the teachers and candidates of the Stage 6 General Mathematics course. It contains comments on candidate responses to the 2008 Higher School Certificate examination, indicating the quality of the responses and highlighting their relative strengths and weaknesses.

This document should be read along with the relevant syllabus, the 2008 Higher School Certificate examination, the marking guidelines and other support documents which have been developed by the Board of Studies to assist in the teaching and learning of General Mathematics.

General comments

One of the main difficulties that markers continue to have is marking responses that involve an incorrect answer with little or no working shown. In these cases it is not possible to give part marks, since markers have no indication of candidates' thinking towards their solution. Candidates are advised to write their working down so that part marks can be awarded for some correct steps towards their answer. A simple example of this occurs when candidates have to round their answer to a certain degree of accuracy. Candidates should always write their calculator display before rounding their answer, and only round their answer in the last step of working, not in an earlier step. Markers can then see that candidates have rounded correctly, even if the answer is not correct.

Some questions required candidates to explain their answer and/or justify their result in words and/or by using calculations. This presented a problem for a significant number of candidates. They need to become familiar with appropriate terminology and read their answers after writing them to ensure that the answers make sense.

Candidates need to pay attention to the number of marks allocated to each part of a question so that they know the expected extent of their answers. Candidates should pay particular attention to the situation where a question asks them to justify with calculations or examples, and ensure that they provide an appropriate response.

Candidates should bring a ruler to the General Mathematics HSC examination in order to draw graphs and diagrams accurately. Candidates should also take note of diagrams where 'Not to scale' is indicated since in these cases measuring lines or angles to obtain a result is not going to be awarded any marks.

In the better responses, candidates:

- showed a clear, concise and appropriate method to solve each problem. Those who worked in a logical manner, stated what they were doing clearly and showed all necessary working were at an advantage compared to those who showed poor or no working, or who did not indicate where they were heading
- referred correctly to the formulae sheet, were familiar with it and used it carefully where necessary
- drew large, clear, well-labelled diagrams and included given information as well as information calculated while doing the question
- did not round off too early in their calculations

- were able to articulate their explanations, either with the support of calculations or in clear, written form
- considered the reasonableness of their answers within the context of the question.

Section I – Multiple choice

Question	Correct response
1	A
2	C
3	A
4	D
5	B
6	B
7	D
8	C
9	A
10	D
11	B

Question	Correct response
12	A
13	C
14	B
15	B
16	D
17	A
18	A
19	B
20	D
21	B
22	C

Section II

Question 23

- (a) Better responses answered both parts correctly, providing one of the four months accepted for part (i) and stating November for part (ii).
- (b) Weaker responses demonstrated little or no understanding of the relationship between precision, absolute error and percentage error.

The capacity of a bottle was given as 1.25 litres, correct to the nearest 10 millilitres.

The solution required a solution of the form $\frac{5}{1250} \times 100\% = 0.4\%$.

Common errors included:

- not recognising the measurements had to be in the same units before working out the percentage
 - not recognising the absolute error for the numerator is half the 10 mL precision
 - not finding the percentage error, that is giving the answer as the absolute error or as a fraction.
- (c) (i) Candidates who wrote the percentage 5.5% as a decimal 0.055 generally had more success than candidates writing it in fraction form.
- (ii) The most common error was in trying to convert the volume of the 375 mL bottle containing 1.6 standard drinks to one standard drink. Instead of dividing by 1.6, candidates often tried various incorrect methods such as $375 \times 0.6 = 225$ mL or ignored the required operation of division. Mid-range responses answered this first step correctly but failed to answer the question by not giving the rate per minute.

- (d) Candidates were often able to obtain some marks by showing each step of their solution. Some candidates demonstrated the basic concepts of solving an equation but lacked the algebraic manipulation skills, especially in performing inverse operations. Weaker responses made errors in relation to directed numbers when rearranging the equation. The manipulation of the denominator was the first potential mistake in many weaker responses. Often only one term of the right-hand side was multiplied by two, or both algebraic expressions were multiplied, or the denominator was unsuccessfully left until later in the process.

Even though many responses were awarded a mark for handling the coefficient correctly as their last step, candidates are reminded not to round off answers early. A better solution would demonstrate the use of a fraction answer to avoid this problem.

- (e) Many candidates did not use or have a ruler to accurately measure segments of the divided bar graph (which was drawn to scale).

Responses that contained the measurements of $\frac{3.5 \text{ cm}}{9 \text{ cm}}$ were mostly successful in finding

the solution of $\frac{3.5}{9} \times 450 = 175$ people. Occasionally, this ratio was converted to a

percentage of $\frac{3.5}{9} \times 100 = 38.\bar{8}$, but any early rounding of this percentage to 38% or 39%

would not allow for the correct answer to be obtained.

Also, since the context of the question was a number of people, a whole number should have resulted, not a decimal part. There were many attempts to divide the graph into fractions or a ratio, which often gave answers close to the correct solution.

- (f) The use of a trial-and-error method was as successful as any other valid method used by candidates. Incorporating the fourth test into the calculations was often lacking when progressing towards the answer.

A common incorrect approach in weaker responses was to ignore the number of tests specified, that is $\frac{72 + 74}{2} = 73\%$, therefore providing 74% as the mark required.

Question 24

- (a) (i) Weaker responses only calculated the monthly amount, while some added the commission to the yearly sales amount.
- (ii) Many candidates thought that there were four weeks in one month but were able to find the commission and total earnings for the month or the year, thus providing a correct conclusion based on their answer to part (a)(i). Many candidates did not know the number of weeks in a year, using 56 or 48 weeks. Some rounded off during the calculation causing the final answer to be inaccurate. Weaker responses often indicated a failure to read the question carefully and added the weekly wage to the monthly commission, and some candidates demonstrated difficulty expressing their choice of method.
- (b) (i) Weaker responses incorrectly counted the combinations by including repeats. Many candidates assumed replacement while others tried to list all 60 numbers.

- (ii) Better responses obtained the correct answer realising that three of the five cards were labelled with odd numbers.
 - (iii) Better responses demonstrated an ability to calculate the complement of the probability of odds and used their part (b)(ii) total combinations to give the number of evens. A common error was to give a probability instead of the number of times the event could occur.
 - (iv) Weaker responses did not show working that could have assisted in gaining the correct answer. Many misunderstood the concepts of ‘less than 500’ and ‘descending’ with these responses listing ascending numbers or using numbers starting with ‘5’. Others could list three of the four numbers, while some did not link all four parts.
- (c) Weaker responses used all the ‘financial’ formulae, hoping that one would be correct. Many used the wrong future value formula or the present value formula to calculate the regular contributions, ‘ M ’. Those that used the correct future value (compound interest) formula to calculate N knowing that 740 000 was the value A , were able to be awarded part marks if either the correct interest rate or the correct time periods were used. Poor skills in calculating the answer included rounding off too early in the calculation which produced an error.

Question 25

- (a) (ii) Candidates need to show working for part marks to be awarded. Drawing a conclusion was also necessary to achieve full marks for this part. Many weaker responses incorrectly deduced that $6 \times 2' = 12'$ while many better responses used logarithms successfully.
- (b) (i) Weaker responses indicated that candidates had difficulty with the concept of ‘non-replacement’, with many demonstrating that ‘drawing two...’ meant that the denominator decreased from 30 to 28. Some candidates did not interpret the given diagram.
- (ii) Weaker responses indicated that multiplication/addition of fractions is a difficult concept for many candidates. Many of these weaker responses added numerators and/or added denominators.
- (c) (i) Many weaker responses did not recognise that the radius of each segment was the height of the box. Finding the length as the sum of the four arcs was a common response. Many mid-range responses only calculated two dimensions of the box.
- (ii) Many candidates could not make the distinction between a pyramid, a cone and a prism. Rounding was tested in this part with many responses losing a mark for failing to round off correctly.

Question 26

- (a) (i) Better responses indicated that candidates were able to add and subtract to obtain the correct answer.
- (ii) Candidates should be encouraged to read and interpret the wording of probability questions very carefully. A common error was to find the probability that ‘a person who was less than 40 years old did not like the movie’. Responses that attempted to find the correct probability by multiplying two probabilities were rarely successful since the events were not independent. Drawing a probability tree diagram would have helped candidates who wished to proceed in this way.
- (iii) Better responses included a correct calculation and a correct, consistent conclusion. They showed that the number of critics who approved of the movie was 58%, less than the required 65%. Other responses correctly found that 114 critics were needed to like the movie and that 102 critics was not enough. Weaker responses misinterpreted the question, suggesting that since a 65% approval rating had been gained the movie was a success. A correct conclusion in this part had to be supported by a correct calculation.
- (b) (i) Some candidates were confused about the meaning of ‘relative frequency’. Simply writing the frequency (35 000 or 35), the cumulative frequency (70 000 or 70) or the class centre multiplied by the frequency ($53 \times 35\,000$) were the more common errors. Many candidates who were able to obtain the correct answer spent unnecessary time adding the frequencies when the total was given in the question.
- (ii) Better responses indicated that the data was negatively skewed. Responses that contained a sketch of the graph were often drawn to the correct answer. Typical weaker responses concluded that the data was positively skewed or did not specify the type of skewness. Many responses were long and wordy and missed the point of the question. Other weaker responses concluded that the graph was bell shaped, normal or not symmetrical.
- (c) Better responses demonstrated a sound knowledge of financial expectation and they correctly evaluated $0.1 \times 12 + 0.4 \times 6 + 0.3 \times 3 (= 4.5)$. Successful responses proceeded to the correct answer either by solving the relevant equation or by using ‘trial and error’ to obtain a loss of \$22.50. A large number of weaker responses failed to show an understanding of financial expectation. Typical incorrect answers included adding the winning amounts together (\$21), just quoting the percentage of Outcome 4 (20%) or indicating that the value of the loss must be \$0.
- (d) (i) Typical better responses correctly stated that the number of females was 0.6 million or 600 000. Weaker responses failed to include the ‘millions’ (0.6) or converted incorrectly (eg 60 000). Some candidates read the wrong side of the graph and gave the population of the males.
- (ii) Weaker responses generally involved more than one group (eg 35–49).
- (iii) Incorrect responses generally resulted from not reading the scale on the graph correctly or from incorrectly adding the two numbers. Weaker responses indicated that some candidates have difficulty converting 0.75 million to 750 000.

- (iv) Weaker responses often included reference to the First and Second World Wars, the Great Depression, baby boomers, post-war migration, and nursing care. However a mathematical interpretation was required and better responses indicated that there was a greater range of ages in the 80+ category.

Question 27

- (a) (i) Weaker responses did not proceed beyond the angular distance of 75° between the two locations. $\frac{75}{360} \times \pi \times 6400^2$ was a common incorrect response with candidates often dividing by multiples of 60 to make their answers appear reasonable. Candidates often omitted the '2' and/or ' π ' in the arc length formula.
- (ii) Weaker responses confused the time difference with the time of flight (approximately 9 hours), presenting the solution as $75 \div 15 = 5$ hours, ignoring the speed (913 km/h) completely. Of those who correctly answered this part of the question a surprising number changed 8 378 km to nautical miles and 913 km/h to knots first.
- (iii) A significant number of responses were confused by the instruction to ignore time zones. Some actually made written comment addressing this issue with others identifying two separate solutions, one with time zones considered and the other with time zones ignored. Unfortunately, 'ignore time zones' was taken to mean ignore time differences and even though many had already calculated the time difference of 5 hours in part (ii) many ignored it in part (iii).
- (b) (i) When asked to obtain a given result candidates are advised to write down the result to a significantly greater degree of accuracy than required initially and thereafter round to the appropriate level of accuracy. This is particularly relevant when a graphics calculator has been used.
- A significant number of candidates appeared to be unaware of the relationship between the present value formula and a reducing balance loan with simple and compound interest calculations common.
- (ii) Many candidates bypassed the simple solution, that is
- $$\$2\,178.67 \times 360 = \$784\,321.20$$
- attempting to use either a simple or compound interest or a future or present value calculation.
- (iii) A common weaker response was 'No, because $\$2\,428.67 \times 240 = \$582\,880.80 (< \$784\,321.20)$ '. Future value calculations were also common responses. Many candidates obtained the new monthly repayment ($\$2\,428.67$) and the number of periods (240), however most were unable to use the present value formula correctly. For those candidates who used graphics calculators, many misinterpreted the signs of the PV (present value) and PMT (payment) entries. Successful responses, and in particular those in which graphics calculators were used, presented a variety of solutions to part (b) (iii). Comparisons of present values, future values, the amounts of the payments and the numbers of repayments required were all used in correct answers.
- (c) The following (incorrect) solution was common:
- $$2023 = V_0 (1 - 0.15)^2$$

$$\begin{aligned} V_0 &= 2\,023(1 - 0.15)^2 \\ &= 1\,461.617\,5. \end{aligned}$$

Question 28

- (a) (i) Better responses were awarded the one mark available here by finding the ‘line curve’ on which the ordered pair (6(yrs), 120(cm)) was located and following it to the z -score scale. The most common error was a z -score of 2, found by following the curve from 120.
- (ii)(2) Better responses contained a simplified normal distribution diagram and worked from it to calculate that the percentage above a z -score of -1 was $68\% + 16\%$ or $100\% - 16\% = 84\%$. Common errors included attempting to add an incorrect z -score associated or not associated with their answer in part (1). Weaker responses demonstrated a poor knowledge of percentages linked with z -scores. Candidates who realised the parts of this question were related were more successful here as they based their answer on their value from part (ii)(1).
- (iii) Common errors were due to candidates calculating an average such as 110 cm, $(95 + 100 + 105 + 110 + 115 + 120 + 125) \div 7$ rather than reading from the graph.
- (iv) Many candidates failed to read the question carefully and missed the word ‘minimum’, instead working on values of $B = 22 \rightarrow 25$. Weaker responses substituted the height in cm into the formulae and had difficulties obtaining a realistic answer. Taking the square root of the answer or ignoring the squaring of ‘ h ’ were also common errors. Those responses that converted to metres first had more success as the answer automatically came out in kilograms. Trial and error was used by many in preference to substitution into the formula. Assumed knowledge seemed to be that between 50 and 60 kg was a good weight and a number in that range was used to begin. Iteration ceased when answers approached $B = 21$. Candidates need to consider the reasonableness of their answers within the context.
- (v) Better responses demonstrated clear understanding of the intention of the question.
- (1) Better responses indicated that the gradient is a rate and related it to a change in height per year, which is the growth rate of 6 cm/year.
- (2) Better responses correctly interpreted from the graph that the growth rate was slowing or decreasing, with heights ‘plateauing’. Other responses noted that the gradient needed to change so a constant gradient model was not relevant. Another correct response was that continuing with the equation beyond $A = 11$ soon gave a value of C beyond the height that girls would reach in their lifetime. Many candidates who chose this response used examples successfully to explain that the equation gave unrealistic answers.

A common error was to use biological reasoning such as puberty and growth spurts to explain why the equation was not suitable. These reasons generally indicated an incorrect response with regard to the mathematical model presented.

- (b) (i) Common errors included failing to add the two applications and maintaining the subscripts ‘ f , m and l ’ after substitution. Weaker responses did not answer the first part of this question which required an expression and went straight into numeric substitutions into the formula.

- (ii) Many weaker responses demonstrated poor manipulation skills with fractions and basic algebraic errors.

General Mathematics

2008 HSC Examination Mapping Grid

Question	Marks	Content	Syllabus outcomes
Section I			
1	1	AM1: Basic algebraic skills	P2
2	1	M2: Applications of area and volume	P2, P6
3	1	DA3: Displaying single data sets	P4
4	1	AM4: Modelling linear and non-linear relationships	H2, H3
5	1	M6: Applications of trigonometry	H6, H7
6	1	FM3: Taxation	P2, P8
7	1	FM1: Earning money	P2, P8
8	1	DA4: Summary statistics	P2
9	1	AM3: Algebraic skills and techniques	H2
10	1	DA5: Interpreting sets of data	H4, H5
11	1	M5: Further applications of area and volume	H6, H7
12	1	DA7: Correlation	H5, H9
13	1	DA4: Summary statistics	P2
14	1	M6: Applications of trigonometry	H6
15	1	FM4: Credit and borrowing	H2, H8
16	1	PB2: Relative frequency and probability	P2, P10
17	1	M6: Applications of trigonometry	H6
18	1	PB3: Multi-stage events	H3, H10
19	1	AM4: Modelling linear and non-linear relationships	H2, H3
20	1	M4: Right-angled triangles M6: Applications of trigonometry	P6, H2, H6, H7
21	1	AM3: Algebraic skills and techniques	H2, H3
22	1	PB4: Applications of probability	H2, H10, H11
Section II			
23 (a) (i)	1	DA3: Displaying single data sets	P11
23 (a) (ii)	1	DA3: Displaying single data sets	P11
23 (b)	1	M1: Units of measurement	P5, P7
23 (c) (i)	1	M1: Units of measurement	P5
23 (c) (ii)	2	M1: Units of measurement	P5
23 (d)	3	AM1: Basic algebraic skills	P2, P7
23 (e)	2	DA3: Displaying single data sets	P4, P7
23 (f)	2	DA3: Displaying single data sets	P4, P7

Question	Marks	Content	Syllabus outcomes
24 (a) (i)	2	FM1: Earning money	P2, P8
24 (a) (ii)	3	FM1: Earning money	P2, P8
24 (b) (i)	1	PB1: The language of chance PB3: Multi-stage events	P3, H3, H10
24 (b) (ii)	1	PB2: Relative frequency PB3: Multi-stage events	P4, P10, H3, H4
24 (b) (iii)	1	PB2: Relative frequency PB3: Multi-stage events	P4, P10, H3, H4, H10
24 (b) (iv)	2	PB1: The language of chance PB3: Multi-stage events PB4: Applications of probability	P3, P10, H2, H4, H10, H11
24 (c)	3	FM5: Annuities and loan repayments	H5, H6
25 (a) (i)	2	AM3: Algebraic skills and techniques	H2, H3
25 (a) (ii)	2	AM3: Algebraic skills and techniques	H2, H3
25 (b) (i)	1	PB3: Multi-stage events	H4, H10
25 (b) (ii)	2	PB3: Multi-stage events	H4, H10
25 (c) (i)	4	M6: Applications of trigonometry	H2, H6, H11
25 (c) (ii)	2	M6: Applications of trigonometry	H6, H7
26 (a) (i)	1	PB4: Applications of probability DA5: Interpreting sets of data	H4, H10
26 (a) (ii)	2	PB4: Applications of probability DA5: Interpreting sets of data	H4, H10
26 (a) (iii)	1	PB4: Applications of probability DA5: Interpreting sets of data	H2, H4, H10, H11
26 (b) (i)	1	PB2: Relative frequency and probability	P2, P4, P10
26 (b) (ii)	1	DA3: Displaying single sets of data DA5: Interpreting sets of data	P2, P4, P9, H4, H5
26 (c)	2	PB4: Applications of probability	H2, H4, H10
26 (d) (i)	1	DA5: Interpreting sets of data	H2, H4, H5
26 (d) (ii)	1	DA5: Interpreting sets of data	H2, H4, H5, H9
26 (d) (iii)	2	DA5: Interpreting sets of data	H2, H4, H5
26 (d) (iv)	1	DA5: Interpreting sets of data	H2, H4, H9
27 (a) (i)	2	M7: Spherical geometry	H2, H6
27 (a) (ii)	1	M7: Spherical geometry	H2, H6
27 (a) (iii)	2	M7: Spherical geometry	H2, H6, H7
27 (b) (i)	2	FM5: Annuities and loan repayments	H2, H5
27 (b) (ii)	1	FM5: Annuities and loan repayments	H2, H5
27 (b) (iii)	3	FM5: Annuities and loan repayments	H2, H5, H8
27 (c)	2	FM6: Depreciation	H2, H5

Question	Marks	Content	Syllabus outcomes
28 (a) (i)	1	DA6: The normal distribution AM4: Modelling linear and non-linear relationships	H2, H3, H4, H5, H9
28 (a) (ii) (1)	1	DA6: The normal distribution	H2, H4, H5
28 (a) (ii) (2)	2	DA6: The normal distribution AM4: Modelling linear and non-linear relationships	H2, H4, H5
28 (a) (iii)	1	DA6: The normal distribution AM4: Modelling linear and non-linear relationships	H2, H4, H5
28 (a) (iv)	2	DA6: The normal distribution AM4: Modelling linear and non-linear relationships AM1: Basic algebraic skills	P3, H2, H5, H11
28 (a) (v) (1)	1	DA6: The normal distribution AM4: Modelling linear and non-linear relationships	H2, H3, H4
28 (a) (v) (2)	1	DA6: The normal distribution AM4: Modelling linear and non-linear relationships	H2, H4, H5
28 (b) (i)	2	AM4: Modelling linear and non-linear relationships M5: Further applications of area and volume	H2, H3, H6
28 (b) (ii)	2	AM4: Modelling linear and non-linear relationships M5: Further applications of area and volume	H2, H3, H6



2008 HSC General Mathematics Marking Guidelines

The following marking guidelines were developed by the examination committee for the 2008 HSC examination in General Mathematics and were used at the marking centre in marking student responses. For each question the marking guidelines are contained in a table showing the criteria associated with each mark or mark range. For some questions, 'Sample Answers' or 'Answers may include' sections are included. These are developed by the examination committee for two purposes. The committee does this:

- (1) as part of the development of the examination paper to ensure the questions will effectively assess students' knowledge and skills, and
- (2) in order to provide some advice to the Supervisor of Marking about the nature and scope of the responses expected of students.

The examination committee develops the marking guidelines concurrently with the examination paper. The 'Sample Answers' or similar advice are not intended to be exemplary or even complete answers or responses. As they are part of the examination committee's 'working document', they may contain typographical errors, omissions, or only some of the possible correct answers.

The information in the marking guidelines is further supplemented as required by the Supervisor of Marking and the senior markers at the marking centre.

A range of different organisations produce booklets of sample answers for HSC examinations, and other notes for students and teachers. The Board of Studies does not attest to the correctness or suitability of the answers, sample responses or explanations provided. Nevertheless, many students and teachers have found such publications to be useful in their preparation for the HSC examinations.

A copy of the Mapping Grid, which maps each question in the examination to course outcomes and content as detailed in the syllabus, is also included.

Section II

Question 23 (a) (i)

Outcomes assessed: P11

MARKING GUIDELINES

Criteria	Marks
• ONE month correct	1

Sample answer:

February or March or November or December

Question 23 (a) (ii)

Outcomes assessed: P11

MARKING GUIDELINES

Criteria	Marks
• Correct answer — November	1

Sample answer:

Rainfall < 80 mm = July, September, October, November

And temperature in range 20–30°C

Means November is the month satisfying both conditions

Question 23 (b)

Outcomes assessed: P5, P7

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

$$\frac{5}{1250} \times 100\% = 0.4\%$$

Question 23 (c) (i)

Outcomes assessed: P5

MARKING GUIDELINES

Criteria	Marks
Correct numerical expression	1

Sample answer:

$$5.5\% \times 375 \text{ mL} = 20.625 \text{ mL}$$

Question 23 (c) (ii)

Outcomes assessed: P5

MARKING GUIDELINES

Criteria	Marks
Correct answer	2
- Correct calculation of the number of mL in one standard drink OR - Correct numerical expression for consumption rate	1

Sample answer:

$$\begin{aligned} \text{One standard drink} &= 375 \text{ mL} \div 1.6 \\ &= 234.375 \text{ mL} \end{aligned}$$

$$\begin{aligned} \text{Consumption rate} &= 234.375 \div 60 \text{ mL per minute} \\ &= 3.9 \text{ mL per minute} \end{aligned}$$

Question 23 (d)

Outcomes assessed: P2, P7

MARKING GUIDELINES

Criteria	Marks
Correct answer	3
Significant progress eg TWO correct steps	2
Some progress eg ONE correct step	1

Sample answer:

$$\frac{5x + 1}{2} = 4x - 7$$

$$5x + 1 = 8x - 14$$

$$-3x = -15$$

$$x = 5$$

Question 23 (e)

Outcomes assessed: P4, P7

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Correct numerical expression OR • Significant progress eg $3.5 \div 9$	1

Sample answer:

$$3.5 \div 9 \times 450 = 175 \text{ people}$$

Question 23 (f)

Outcomes assessed: P4, P7

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

$$\begin{aligned} \text{Total marks in three tests} &= 3 \times 72 \\ &= 216 \end{aligned}$$

$$\frac{216 + x}{4} = 73$$

$$216 + x = 292$$

$$x = 76$$

Question 24 (a) (i)

Outcomes assessed: P2, P8

MARKING GUIDELINES

Criteria	Marks
- Correct answer OR - Correct numerical expression	2
Progress towards solution	1

Sample answer:

$$\begin{aligned}
 \text{Earnings} &= 13\% \text{ of } [\$15\,670 \times 12] \\
 &= 0.13 \times 15\,670 \times 12 \\
 &= \$24\,445.20
 \end{aligned}$$

Question 24 (a) (ii)

Outcomes assessed: P2, P8

MARKING GUIDELINES

Criteria	Marks
Correct calculation of earnings with conclusion	3
- Calculation of Method 2 earnings (no conclusion) OR - Attempted calculation of Method 2 which is incorrect with a correct conclusion	2
Progress towards answer	1

Sample answer:

$$\begin{aligned}
 \text{Method 2 commission} &= 4.5\% \text{ of } [\$15\,670 \times 12] \\
 &= \$8461.80
 \end{aligned}$$

$$\begin{aligned}
 \text{Method 2 earnings} &= \$8461.80 + \$350 \times 52 \\
 &= \$26\,661.80
 \end{aligned}$$

$$\text{Method 1 earnings} = \$24\,445.20$$

∴ Greater income earned by Method 2.

Question 24 (b) (i)

Outcomes assessed: P3, H3, H10

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

$$\begin{aligned}\text{Combinations} &= 5 \times 4 \times 3 \\ &= 60\end{aligned}$$

Question 24 (b) (ii)

Outcomes assessed: P4, P10, H3, H4

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

$$P(\text{odd}) = \frac{3}{5}$$

Question 24 (b) (iii)

Outcomes assessed: P4, P10, H3, H4, H10

MARKING GUIDELINES

Criteria	Marks
• Correct answer OR • Correct from previous answer	1

Sample answer:

$$\left(1 - \frac{3}{5}\right) \times 60 = 24$$

Question 24 (b) (iv)

Outcomes assessed: P3, P10, H2, H4, H10, H11

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Indication that there are four members in the sample space	1

Sample answer:

$$P(3 \text{ digit} < 500) = \frac{4}{60}$$

$$= \frac{1}{15}$$

Question 24 (c)

Outcomes assessed: H5, H6

MARKING GUIDELINES

Criteria	Marks
• Correct answer	3
• Correct numerical expression	2
• Correct conversion of interest rate and time periods to monthly	1

Sample answer:

$$N = \frac{740\,000}{\left(1 + \frac{4}{200}\right)^{40}}$$

$$N = \$335\,138.91$$

Question 25 (a) (i)

Outcomes assessed: H2, H3

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

$$P = a \times 2^t$$

$$24 = a \times 2^2$$

$$24 = a \times 4$$

$$a = \frac{24}{4}$$

$$a = 6$$

Question 25 (a) (ii)

Outcomes assessed: H2, H3

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

Trial and error

eg $t = 6$

$$6(2)^6 = 384$$

eg $t = 7$

$$6(2)^7 = 768$$

eg $t = 8$

$$6(2)^8 = 1536$$

$\therefore$ 8 years


Question 25 (b) (i)

Outcomes assessed: H4, H10

MARKING GUIDELINES

Criteria	Marks
• Correct answer ie any two correct probabilities	1

Sample answer:



Question 25 (b) (ii)

Outcomes assessed: H4, H10

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

$$\begin{aligned}
 P(\mathbf{BB} \text{ or } \mathbf{RR}) &= \frac{12}{30} \times \frac{11}{29} + \frac{18}{30} \times \frac{17}{29} \\
 &= \frac{73}{145}
 \end{aligned}$$

Question 25 (c) (i)

Outcomes assessed: H2, H6, H11

MARKING GUIDELINES

Criteria	Marks
• Correct answer	4
Significant progress towards correct answer OR	3
• Correct numerical expression involving cosine rule and height and width	
• Progress towards correct answer eg both height and width	2
• Limited progress eg only height or width correct	1

Sample answer:

Height of box = radius of circle = 15 cm

Width of box = 3×7 cm = 21 cm

$$\begin{aligned} \text{Length of piece: } C^2 &= 15^2 + 15^2 - 2 \times 15 \times 15 \cos 40^\circ \\ &= 105.28... \end{aligned}$$

$$C = \sqrt{105.28...}$$

$$\begin{aligned} \text{Length of box} &= 4 \times C \\ &= 41.0424 \text{ cm} \end{aligned}$$

$\therefore$ The dimensions of the box are 15 cm, 21 cm 41.04 cm

Question 25 (c) (ii)

Outcomes assessed: H6, H7

MARKING GUIDELINES

Criteria	Marks
• Correct answer, correctly rounded	2
• Progress towards correct answer	1

Sample answer:

$$\begin{aligned} A &= \frac{1}{2} \times 15 \times 15 \sin 40^\circ \\ &= 72.31... \text{ cm}^2 \end{aligned}$$

$$\begin{aligned} V &= A \times 7 \\ &= 506.195... \\ &\doteq 506 \text{ cm}^3 \end{aligned}$$

Question 26 (a) (i)

Outcomes assessed: H4, H10

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

	<i>Aged <40</i>	<i>Aged ≥40</i>	Totals
Movie critics who liked the movie	65	37	102
Movie critics who did not like the movie	42	31	73
<i>Totals</i>	107	68	175

$$A = 68$$

Question 26 (a) (ii)

Outcomes assessed: H4, H10

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

$$\begin{aligned}
 P(\text{critic } <40 \text{ years old did not like movie}) &= \frac{42}{175} \\
 &= \frac{6}{25}
 \end{aligned}$$

Question 26 (a) (iii)

Outcomes assessed: H2, H4, H10, H11

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

$$\text{Number who liked movie} = 102$$

$$\begin{aligned} \text{Percentage who liked movie} &= \frac{102}{175} \times 100\% \\ &\doteq 65\% \end{aligned}$$

∴ The movie will not be a box office success.

Question 26 (b) (i)

Outcomes assessed: P2, P4, P10

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

$$\begin{aligned} \text{Relative frequency} &= \frac{35\,000}{2\,000\,000} \\ &= \frac{7}{400} \end{aligned}$$

Question 26 (b) (ii)

Outcomes assessed: P2, P4, P9, H4, H5

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

Distribution is negatively skewed

Question 26 (c)

Outcomes assessed: H2, H4, H10

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

$$\begin{aligned}
 0.1 \times \$12 + 0.4 \times \$6 + 0.3 \times \$3 - 0.2 \times \$X &= 0 \\
 1.2 + 2.4 + 0.9 &= 0.2 \times \$X \\
 X &= \frac{1.2 + 2.4 + 0.9}{0.2} \\
 &= \frac{4.5}{0.2} \\
 &= 22.5 \\
 \text{Loss is } \$22.50
 \end{aligned}$$

Question 26 (d) (i)

Outcomes assessed: H2, H4, H5

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

$$0.6 \times 1\,000\,000 = 600\,000$$

Question 26 (d) (ii)

Outcomes assessed: H2, H4, H5, H9

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

35–39

Question 26 (d) (iii)

Outcomes assessed: H2, H4, H5

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer (eg 0.7 million)	1

Sample answer:

$$0.7 \text{ million} + 0.75 \text{ million} = 1.45 \text{ million}$$

Question 26 (d) (iv)

Outcomes assessed: H2, H4, H9

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

80+ age group is not 5 years — it is all ages greater than 80, whereas 75–79 age group is only a range of 5 years, so there are likely to be more people in 80+ age group.

Question 27 (a) (i)

Outcomes assessed: H2, H6

MARKING GUIDELINES

Criteria	Marks
• Correct answer OR • Correct numerical expression	2
• Progress towards correct answer (eg finding 75° OR substituting incorrect angle into correct formula)	1

Sample answer:

$$\begin{aligned}
 \text{Distance} &= \frac{\theta}{360} \times 2\pi r \\
 &= \frac{75}{360} \times 2\pi(6400) \\
 &= 8\,377.580\,41 \text{ km} \\
 &\doteq 8378 \text{ km}
 \end{aligned}$$

Question 27 (a) (ii)

Outcomes assessed: H2, H6

MARKING GUIDELINES

Criteria	Marks
- Correct answer (in hours <i>or</i> hours and minutes) OR - Correct numerical expression	1

Sample answer:

$$\begin{aligned}
 T &= \frac{d}{s} \\
 &= \frac{8\,377.580\,41}{913} \\
 &= 9.1758\dots \text{ hours} \\
 &\doteq 9 \text{ hours } 11 \text{ minutes} \\
 &\doteq 9 \text{ hours}
 \end{aligned}$$

Question 27 (a) (iii)

Outcomes assessed: H2, H6, H7

MARKING GUIDELINES

Criteria	Marks
- Correct answer (to nearest hour) OR - Correct from previous answer from part (ii) using 5 hours correctly	2
- Time difference of 5 hours OR - Correctly using part (ii) answer with incorrect time difference	1

Sample answer:

$$\begin{aligned}
 \text{Time difference} &= 4 \times 75 \\
 &= 300 \text{ minutes} \\
 &= 5 \text{ hours}
 \end{aligned}$$

Time in Borneo at departure time in Kenya is 3 am.

$\therefore$ Arrival in Borneo is 12:11 pm.

Question 27 (b) (i)

Outcomes assessed: H2, H5

MARKING GUIDELINES

Criteria	Marks
- Correct substitution into correct formula to equal 2178.76 OR - Correct numerical expression	2
- Correct formula with one error - Significant progress towards correct answer	1

Sample answer:

$$290\,000 = \frac{M \left((1.006\,875)^{360} - 1 \right)}{(0.006\,875)(1.006\,875)^{360}}$$

$$r = \frac{8.25}{12} \text{ per month}$$

$$r = 0.006\,875$$

$$M = \frac{290\,000 \times 0.006\,875 (1.006\,875)^{360}}{\left((1.006\,875)^{360} - 1 \right)}$$

$$n = 30 \times 12$$

$$= 360$$

$$= 2178.67$$

Question 27 (b) (ii)

Outcomes assessed: H2, H5

MARKING GUIDELINES

Criteria	Marks
Correct numerical expression	1

Sample answer:

$$\text{Total} = 2178.67 \times 360$$

$$= \$784\,321.20$$

Question 27 (b) (iii)

Outcomes assessed: H2, H5, H8

MARKING GUIDELINES

Criteria	Marks
• Need statement indicating difference/shortage	3
• Correct calculation/substitution	2
• Significant progress towards correct answer	
• One of either correct M or n	1
• Progress towards correct answer	

Sample answer:

$$\begin{aligned} n &= 20 \times 12 & M &= 2428.67 \\ &= 240 & r &= 0.006\,875 \end{aligned}$$

$$\begin{aligned} \text{Present value: } N &= \frac{2428.67 \left((1.006\,875)^{240} - 1 \right)}{0.006\,875 (1.006\,875)^{240}} \\ &= \$285\,033.20 \end{aligned}$$

No, she is still short of the \$290 000 by \$4966.80

Question 27 (c)

Outcomes assessed: H2, H5

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Correct numerical expression	1

Sample answer:

$$\begin{aligned} S &= V_0 (1 - r)^n \\ 2023 &= V_0 (1 - 0.15)^2 \\ V_0 &= \frac{2023}{(1 - 0.15)^2} \\ &= \$2800 \end{aligned}$$

Question 28 (a) (i)

Outcomes assessed: H2, H3, H4, H5, H9

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

From graph, z -score = 1

Question 28 (a) (ii) (1)

Outcomes assessed: H2, H4, H5

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

From graph, z -score = 2 gives a height of 155 cm

Question 28 (a) (ii) (2)

Outcomes assessed: H2, H4, H5

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer (z -score = -1)	1

Sample answer:

From graph, z -score = -1

Answer is 84%

Question 28 (a) (iii)

Outcomes assessed: H2, H4, H5

MARKING GUIDELINES

Criteria	Marks
Correct answer	1

Sample answer:

From graph, 162–164 cm

Question 28 (a) (iv)

Outcomes assessed: P3, H2, H5, H11

MARKING GUIDELINES

Criteria	Marks
Correct answer	2
OR	
Correct from previous answer	1
Progress towards correct answer	

Sample answer:

Using the answer obtained in part (iii)

$$B = \frac{m}{h^2}$$

$$21 = \frac{m}{(1.63)^2}$$

$$21 \times (1.63)^2 = m$$

$$\therefore m = 55.7949$$

$$\div 56 \text{ kg}$$

Question 28 (a) (v) (1)

Outcomes assessed: H2, H3, H4

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

Average rate of growth is 6 cm per year

Question 28 (a) (v) (2)

Outcomes assessed: H2, H4, H5

MARKING GUIDELINES

Criteria	Marks
• Correct answer	1

Sample answer:

- Eg (1) Growth rate begins to slow as girls get older
 (2) Ages > 12 were not used to calculate the equation of line.

Question 28 (b) (i)

Outcomes assessed: H2, H3, H6

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

$$\begin{aligned}
 A &\approx \frac{h}{3}(d_f + 4d_m + d_l) + \frac{h}{3}(d_f + 4d_m + d_l) \\
 &= \frac{h}{3}(0 + 4a + b) + \frac{h}{3}(b + 4a + 0) \\
 &= \frac{2h}{3}(4a + b)
 \end{aligned}$$

Question 28 (b) (ii)

Outcomes assessed: H2, H3, H6

MARKING GUIDELINES

Criteria	Marks
• Correct answer	2
• Progress towards correct answer	1

Sample answer:

$$A = \frac{2h}{3}(4a + b)$$

If $A = 600$, $h = 20$ then

$$600 = \frac{40}{3}(4a + b)$$

$$1800 = 160a + 40b$$

$$b = 45 - 4a$$

If a increases by 2

$$b = 45 - 4(a + 2)$$

$$= 45 - 4a - 8$$

Therefore the effect on b is a decrease of 8.